

SAFETY DATA SHEET

ECO-RISE™ "B" Component Revised Date: 4/2/2018 Version: 2 SDS-035

SECTION 1: IDENTIFICATION

PRODUCT NAME **CAS NUMBER PRODUCT USE MANUFACTURER ADDRESS PHONE** FAX

EMERGENCY CONTACT TOLL FREE

INTERNATIONAL

ECO-RISE™ "B" Component

Not available Polyurethane Foam Specialty Products, Inc. (SPI)

2410 104th Street Ct S Suite D, Lakewood, WA 98499 253-588-7101 (800) 627-0773

253-588-7196

FOR SPILLS, LEAKS, FIRE, OR EXPOSURE CALL CHEMTREC

800-424-9300 +1-703-527-3887 913-321-1490

SECTION 2: HAZARDS IDENTIFICATION

GHS LABEL ELEMENTS

GHS PICTOGRAM

No label elements assigned, product is not classified.

NONE

GHS CLASSIFICATION

Not classified under any GHS hazard class.

OTHER HAZARDS

While this product is not considered hazardous, this SDS contains valuable information critical to the safe handling and proper use of the product. This SDS should be retained and available for employees and other users of this product.

READ THE ENTIRE SDS FOR MORE THOROUGH EVALUATION OF THE HAZARDS





SECTION 3: COMPOSITION/INFO	RMATION ON INGREDIENTS		
CHEMICAL NAME		CAS NUMBER	% WEIGHT
Dipropylene glycol	a wat language is an are heless required displacture limits	25265-71-8	1-10
·	e not hazardous or are below required disclosure limits.		
SECTION 4: FIRST AID MEASURE			
EYE:	Rinse eye(s) cautiously with lukewarm, gently flowing water for seven open. If eye irritation persists, get medical attention.	eral minutes, while holdir	ng the eyelid(s)
SKIN:	Take off contaminated clothing, shoes and leather goods (e.g. watchbands, belts). Rinse with plenty of lukewarm, gently flowing water. If skin irritation occurs get medical advice. Wash contaminated clothing before reuse.		
INHALATION:	Symptoms of exposure to high concentrations of fumes from heating may include irritation to the nose, throat, coughing, dry throat and dizziness.		
INGESTION:	Call a Poison Center or doctor if you feel unwell or are concerned.	Rinse mouth.	
NOTES TO PHYSICIAN:	Symptomatic and supportive therapy as needed. Following severe exposure, medical follow-up should be monitored for 48 hours.		w-up should be
SECTION 5: FIRE FIGHTING MEAS	SURES		
FLASH POINT:	Not available.		
HAZARDS WHEN ON FIRE OR NEAR FLAME:	Product will burn if involved in a fire.		
SUITABLE EXTINGUISHING MEDIA:	Water fog or fine spray, alcohol-resistant foam, carbon dioxide or dry chemical. Use water spray to cool fire- exposed containers.		
UNSUITABLE EXTINGUISHING MEDIA:	High pressure water streams may scatter hot liquid and spread the	fire.	
SPECIAL EXPOSURE HAZARDS:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. If in a fire or heated, a pressur increase will occur and the container may rupture.		s a fire. No ated, a pressure
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA with a full face-piece operated in positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.		paratus (SCBA) and protective
HAZARDOUS DECOMPOSITION:	Combustion products may include corrosive and/or toxic nitrogen oxide, carbon monoxide and carbon dioxide.		and carbon
SECTION 6: ACCIDENTAL RELEAS	SE MEASURES		
ACCIDENTAL RELEASE MEASURES:	For major spills call CHEMTREC: Toll free 1-800-424-9300 for international call 1-703-527-3887.		
PERSONAL PRECAUTIONS:	Wear appropriate personal protective equipment recommended in SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION of this SDS. Immediately contact emergency personnel. Evacuate the area. Keep upwind avoiding inhalation of vapors. Clean-up should only be performed by trained personnel. People dealing with major spillages should wear full protective clothing including respiratory protection.		e the area. personnel.
ENVIRONMENTAL PRECAUTIONS:	This material may contaminate the environment without proper control and response to spills. Ensure spilled material does not come in contact with soil, waterway, drains, sewers, or other runoff that would further disperse the material. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air). Sources of ignition should be kept clear.		that would
METHODS FOR CONTAINMENT:	Use diking or capping to control migration. Contain and absorb large spillages with a non-flammable absorbent carrier (such as vermiculite, earth, or sand). DO NOT USE combustible materials such as sawdu Shovel into open-top drums or plastic bags for further decontamination, if necessary. Remove and proper dispose of residues. Dispose of via a licensed waste disposal contractor (See SECTION 13: DISPOSAL CONSIDERATIONS) Notify applicable government authorities if release is reportable.		such as sawdust ve and properly
METHODS FOR CLEANING UP:	Only proceed with clean up by taking the appropriate personal protection measures required and ensure surrounding area does not contain further hazards that could worsen the spill, cause migration, or cause further harm (i.e. eliminate any ignition sources). Move any non-contaminated, non-leaking containers from the spill zone if it can be done safely. Dike, dam, or further restrict and stop active leaks without posing further damage or harm to individuals, the environment, and/or structures. Contain and collect spillage. SecTION 13: DISPOSAL CONSIDERATIONS for disposal information and SECTION 8: EXPOSURE CONTRO PERSONAL PROTECTION for recommended Personal Protective Equipment (PPE). Obey all local, state, an federal regulations during clean up.		on, or cause containers from nout posing ect spillage. See SURE CONTROL

SECTION 7: HANDLING & STORAGE	
GENERAL:	Ideal storage temperature is 60-90°F (15-32°C). Handling and storage shall be in accordance with local, state/provincial, or federal regulations.
HANDLING:	Before opening this package, read and follow warning labels on all components. Avoid contact with the product or reaction mixture. Put on appropriate personal protective equipment. Use only with adequate ventilation to ensure that the occupational exposure limit is not exceeded, use respirator when ventilation is inadequate. Avoid breathing aerosols, mists, and vapors. (See SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION for details). Do not ingest. Eating, drinking, and smoking shall be prohibited in areas where this material is handled, stored, and processed. Workers shall wash hands and face before eating, drinking, and smoking. Persons with a history of skin sensitization problems, asthma, allergies, or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes, on skin, or clothing. Keep in the original container or an approved alternative made from a compatible material. Kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse containers.
STORAGE:	Keep container tightly closed and properly sealed when stored. When possible, store product indoors in a dry, well-ventilated area. Store in original container protected from direct sunlight, away from incompatible materials, and away from food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers and use appropriate containment to avoid environmental contamination.
SECTION 8: EXPOSURE CONTR	OLS/PERSONAL PROTECTION
EXPOSURE LIMITS:	As of the latest revision of this document, no known exposure limits exist for this product. The absence of current exposure data does not relieve an employer, user, or other to determine the specific hazards and appropriate exposure protection measures in the application and use of this product. Personal, workplace, atmospheric, and/or biological monitoring may be required to determine the effectiveness of engineering, administrative, and/or other best practice control measures. These monitoring results determine the need for and type of respiratory protective equipment, if any. Refer to the appropriate local, state, and federal regulations and statutes for the most current information and for guidance in the determination of hazardous conditions and the correlating personal protective equipment.
ENGINEERING CONTROLS:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation, and other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
HYGIENE MEASURES:	Wash hands, forearms, and face thoroughly with plenty of soap and water after handling chemical products, before eating, smoking, and using the restroom and at the end of the working period. Appropriate engineering, administrative, and other best practice decontamination control measures must be used to isolate contaminates on clothing and to prevent unintended migration of contaminants. Handle clothing and other potentially contaminated material appropriately and in compliance with local, state, and federal regulations in the process of removing, washing/cleaning, and reuse of these potentially contaminated materials. Ensure compliant use and location of eyewash station and safety showers.
PERSONAL PROTECTIVE EQUIPMENT	(PPE):
EYE PROTECTION:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield.
SKIN PROTECTION:	Personal protective equipment for the body should be selected based on the task being performed, the risks involved, and should be approved by an industrial hygiene specialist before handling this product.
HANDS PROTECTION:	Chemical resistant gloves complying with applicable health and safety standards shall be worn when handling this product. Protective gloves are those made from butyl rubber, nitrile rubber, or polyvinyl alcohol. Appropriate hazard assessments in conjunction with an evaluation of the protection factors of chemical resistant gloves shall be performed to ensure the protective properties remain intact. It is noted that the time to breakdown of protection factors for different glove manufacturers varies. In the case of mixtures, the protection factors of chemical resistant gloves may be impacted and deteriorate at unpredictable rates without understanding the impact of the substance and the specific protection factors of the chemical resistant gloves.
RESPIRATORY PROTECTION:	Ensure adequate ventilation. If the respirator is the sole means of protection, use a full-face supplied respirator. Use respirators and components tested and approved under appropriate government standards such as OSHA 29CFR 1910.134, NIOSH (US), or CEN (EU).
ENVIRONMENTAL EXPOSURE CONTROLS:	Dispose of raw and spent materials and wastes in compliance with all local, state, and federal regulations to prevent potential environmental contamination. Industrial air monitoring may be required to determine any potential environmental hazards to the atmosphere. This monitoring may result in the use of engineering and administrative controls such as filtering and scrubbing systems to mitigate or eliminate potential contaminants.

SECTION 9: PHYSICAL & C	HEMICAL PROPERTI	ES		
PHYSICAL STATE:	Liquid	FLASH POINT:		Not available
COLOR:	Clear Yellow	AUTO-IGNITIO	N TEMPERATURE:	Not available
ODOR:	Slight	DECOMPOSITI	ON TEMPERATURE:	Not available
ODOR THRESHOLD:	Not available	EXPLOSIVE LIF	MITS:	Not available
pH:	Not applicable	FLAMMABILIT	Y:	Not available
WATER SOLUBILITY:	Not available	BOILING POIN	Т:	Not available
PARTITION COEFFICIENT:	Not available	BOILING RANG	SE:	Not available
SPECIFIC GRAVITY:	1.05±0.005 g/cc @ 77°F (25°	C) MELTING/FREE	ZING POINT:	Not available
VISCOSITY:	600±100 mPa.s @ 77°F (25°C	C) VAPOR PRESS	URE:	Not available
EVAPORATION RATE:	Not available	VAPOR DENSI	TY:	Not available
VOC:	0 g/L	RELATIVE DEN	SITY:	8.8±0.05 lbs/gal
SECTION 10: STABILITY & F	REACTIVITY			
STABILITY:	Stable. Oxidized slowly by a	air at room temperature.		
INCOMPATIBILITY:	Incompatible with strong ac	Incompatible with strong acids and strong oxidizers.		
HAZARDOUS REACTION:	Not reactive under normal of	Not reactive under normal conditions of use. At elevated temperatures product can oxidize or decompose.		
HAZARDOUS POLYMERIZATION:	Not available.			
CONDITIONS TO AVOID:	Avoid high temperatures and contact with sources of ignition. Avoid exposing product to air, water and moisture.			
SECTION 11: TOXICOLOGY	INFORMATION			
ACUTE HEALTH EFFECTS:	,			
EYE CONTACT:	Not irritating to eyes.			
SKIN CONTACT:	Not irritating to skin.			
INHALATION:	Substance has low volatility temperatures.	therefore inhalation is unli	kely unless a mist is formed o	or fumes from very high
INGESTION:	No known significant effect	ts or critical hazards.		
ACUTE TOXICITY:				
COMPONENT NAME	CAS NUMBER	LD ₅₀ Oral (mg/kg)	LD ₅₀ Dermal (mg/kg)	LC ₅₀ Inhalation (mg/L/4hrs)
Dipropylene glycol	25265-71-8	Not available	Not available	Not available
POTENTIAL CHRONIC EFFECTS:	•		•	•
CHRONIC EFFECTS:	Not available.			
TARGET ORGANS:	Not available.			
CARCINOGENICITY:	No known significant effects or critical hazards.			
MUTAGENICITY:	No known significant effects or critical hazards.			
TERATOGENICITY:	No known significant effect	s or critical hazards.		
FERTILITY EFFECTS:	No known significant effect	ts or critical hazards.		
DEVELOPMENTAL EFFECTS:	No known significant effect	s or critical hazards.		
MEDICAL CONDITIONS AGGRAVATED BY OVER-EXPOSURE:	No known significant effects or critical hazards.			
OVER-EXI OSORE.				
SECTION 12: ECOLOGICAL	INFORMATION			

SECTION 13: DISPOSAL CONSIDERATION

WASTE DISPOSAL:

By-product wastes or process waste generation should be eliminated and/or minimized when possible. Do not dispose of any contaminants into sanitary sewer systems, storm drains, Publicly Owned Treatment Works (POTW), or any other municipal waste water treatment facility without written approval and agreements for processing wastes with such enterprises. Dispose of raw or unused materials, wastes, and/or by-products in accordance with all applicable local, state, and federal laws. Employ the expertise and knowledge of qualified personnel or contractors in disposal of any and all variants of this product. Ensure material containers are cleaned to the applicable standards before recycling, disposing, or reusing containers. Take special precautions to avoid any cross contamination and potential unknown effects from mixing with other substances. Refer to SECTION 8: EXPOSURE CONTROL/ PERSONAL PROTECTION of this document for personal protection requirements. Disposal to the environment or in violation of environmental protection laws and statutes must be prevented.

SECTION 14: TRANSPORT INFORMATION

PROPER SHIPPING NAME	
DOT:	Not regulated.
TDG:	Not regulated.
IMDG:	Not regulated.
IATA:	Not regulated.

This product could potentially contaminate aquatic and terrestrial environments if not handled in accordance with all precautions, regulations, and laws. Users, transporters, and all other applicable entities must review, follow, and apply any and all necessary precautions and procedures to eliminate and/or minimize potential hazards or risks to aquatic or terrestrial environments.

SECTION 15: REGULATORY I	NFORMATION
U.S. Federal Regulations	
TSCA 8b Inventory:	All components are listed on the TSCA inventory or are exempt.
TSCA 5a (2):	No components listed.
TSCA 5e:	No components listed.
TSCA 12b:	No components listed.
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs):	No components listed.
Clean Air Act - Ozone Depleting Substances (ODS):	This product does not contain nor is it manufactured with ozone depleting substances.
SARA 313 Form R - Reporting Requirements:	No components listed.
SARA 311/312 hazard identification:	Not available.
CERCLA Hazardous substances:	No components listed.
STATE REGULATIONS:	
PENNSYLVANIA/NEW JERSEY/ MASSACHUSETTS - RTK:	No components listed.
California Prop 65:	This product contains no listed substances known to the State of California to cause cancer, birth defects or other reproductive harm, at levels which would require a warning under the statute.
CANADA	
WHMIS (Canada):	Not available.
CEPA DSL:	All components are listed or exempted.
This product has been classified in a the information required by the Con	accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all atrolled Products Regulations.
INTERNATIONAL LISTS:	
Australia inventory (AICS):	All components are listed or exempted.
China inventory (IECSC):	All components are listed or exempted.
Japan inventory:	All components are listed or exempted.
Korea inventory:	All components are listed or exempted.
New Zealand inventory of Chemicals (NZIoC):	All components are listed or exempted.

All components are listed or exempted.

Phillipines inventory (PICCS):

SECTION 16: OTHER INFORMATION

NFPA & HMIS	
4	Extreme
3	Serious
2	Moderate
1	Slight
0	No Hazard



National Fire Protection Association (NFPA)





Hazardous Material Information System (HMIS)

HEALTH FLAMMABILITY	1
REACTIVITY	0
SPECIAL INFORMATION	

Note: The customer is responsible for determining the PPE code for this material. At the time of publishing, the NFPA/HMIS and the New GHS scale had opposite scales of severity. Check the most recent publications for current information.

Date of Issue:	4/2/2018
Date of previous issue:	9/22/2016
For Your Protection:	The information and recommendations in this publication is to the best of our knowledge, reliable. The toxicity and risk characteristics of products made by Safe Basements LLC will necessarily differ from the toxicity and risk characteristics that occur when such products are used with other materials during a manufacturing process. The resulting risk characteristics should be determined and made known to ultimate end-users and processors. The user is responsible to comply with all applicable federal, provincial or municipal laws and regulations. Safe Basements LLC MAKES NO WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
Preparation Information:	This SDS supersedes ALL previous SDS versions.