

SAFETY DATA SHEET

HM-VK™ "B" Component Revised Date: 2/12/2018 Version: 5 SDS-204

SECTION 1: IDENTIFICATION

PRODUCT NAME
CAS NUMBER
PRODUCT USE
MANUFACTURER
ADDRESS
PHONE
FAX
EMERGENCY CONTACT
TOLL FREE
INTERNATIONAL

FAX

HM-VK™ "B" Component

Not available Polyurea Coating Specialty Products, Inc. (SPI)

2410 104th Street Ct S Suite D, Lakewood, WA 98499

253-588-7101 (800) 627-0773

253-588-7196

FOR SPILLS, LEAKS, FIRE, OR EXPOSURE CALL CHEMTREC

800-424-9300 +1-703-527-3887 913-321-1490

SECTION 2: HAZARDS IDENTIFICATION

GHS LABEL ELEMENTS

GHS PICTOGRAM

None

NOT APPLICABLE		
GHS CLASSIFICATION		
CATEGORY	HAZARD STATEMENTS	
Not a dangerous substance according to GHS.	Not a dangerous substance according to GHS.	
PRECAUTIONARY STATEMENTS		
NONE		
HAZARDS NOT OTHERWISE CLASSIFIED (HNOC)		
Mild skin irritant.		
Mild eye irritant.		
Mild respiratory tract irritant.		

READ THE ENTIRE SDS FOR MORE THOROUGH EVALUATION OF THE HAZARDS





SECTION 3: COMPOSITION/INFO	PRMATION ON INGREDIENTS		
CHEMICAL NAME		CAS NUMBER	% WEIGHT
Oligomeric diamine		*Proprietary	90-100
Fatty acid ester		*Proprietary	1-5
3-(2,3-Epoxypropoxy)propyltrimethoxysilane		2530-83-2	1-5
*The specific chemical identity and exact per	centage (concentration) is withheld as a trade secret per applic	able regulations and s	tatutes.
SECTION 4: FIRST AID MEASURE	S Comment of the Comm		
EYE:	Rinse immediately with plenty of water also under the eyelids for at least 20 minutes. Remove contact lenses.		Remove contact
SKIN:	Wash off immediately with plenty of water for at least 20 minutes. Wash off with soap and water. Immediately remove contaminated clothing, and any extraneous chemical, if possible to do so without delay.		
INHALATION:	If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. Move to fresh air.		
INGESTION:	If a person vomits when lying on his back, place him in the reco	overy position. Prevent	aspiration of vomit.
NOTES TO PHYSICIAN:	Symptomatic and supportive therapy as needed. Following se monitored for 48 hours.	vere exposure, medical	follow-up should be
SECTION 5: FIRE FIGHTING MEAS	SURES		
FLASH POINT:	Not available.		
HAZARDS WHEN ON FIRE OR NEAR FLAME:	Incomplete combustion may form carbon monoxide. Burning precautions required.	oduces noxious and to	kic fumes. No special
SUITABLE EXTINGUISHING MEDIA:	Use dry chemical foam, carbon dioxide, alcohol resistant foam,	dry sand or limestone p	oowder to extinguish.
UNSUITABLE EXTINGUISHING MEDIA:	None known.		Ţ.
SPECIAL EXPOSURE HAZARDS:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training. If in a fire or heated, a pressure increase will occur and the container may rupture.		
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.		
HAZARDOUS DECOMPOSITION:	Carbon monoxide, noxious, and toxic fumes.		
SECTION 6: ACCIDENTAL RELEAS	SE MEASURES		
ACCIDENTAL RELEASE MEASURES:	For major spills call CHEMTREC : Toll free 1-800-424-9300 for i 1-703-527-3887 .	nternational call	
PERSONAL PRECAUTIONS:	Wear appropriate personal protective equipment recommended in SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION of this SDS. Immediately contact emergency personnel. Evacuate the area. Keep upwind avoiding inhalation of vapors. Clean-up should only be performed by trained personnel. People dealing with major spillages should wear full protective clothing including respiratory protection.		acuate the area. ned personnel.
ENVIRONMENTAL PRECAUTIONS:	This material may contaminate the environment without proper control and response to spills. Ensure spilled material does not come in contact with soil, waterway, drains, sewers, or other runoff that would further disperse the material. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air). Sources of ignition should be kept clear.		unoff that would
METHODS FOR CONTAINMENT:	Use diking or capping to control migration. Contain and absorb large spillages with a non-flammable absorbent carrier (such as vermiculite, earth, or sand). DO NOT USE combustible materials such as sawdus Shovel into open-top drums or plastic bags for further decontamination, if necessary. Remove and properly dispose of residues. Dispose of via a licensed waste disposal contractor (See SECTION 13: DISPOSAL CONSIDERATIONS) Notify applicable government authorities if release is reportable.		rials such as sawdust. Remove and properly
METHODS FOR CLEANING UP:	Only proceed with clean up by taking the appropriate personal surrounding area does not contain further hazards that could w further harm (i.e. eliminate any ignition sources). Move any non the spill zone if it can be done safely. Dike, dam, or further rest further damage or harm to individuals, the environment, and/or SECTION 13: DISPOSAL CONSIDERATIONS for disposal information personal Protective federal regulations during clean up.	orsen the spill, cause m -contaminated, non-lea rict and stop active leak structures. Contain and ation and SECTION 8: E	igration, or cause king containers from s without posing d collect spillage. See XPOSURE CONTROL/

SECTION 7: HANDLING & ST	
GENERAL:	Ideal storage temperature is 60-90°F (15-32°C). Handling and storage shall be in accordance with local, state provincial, or federal regulations.
HANDLING:	Before opening this package, read and follow warning labels on all components. Avoid contact with the product or reaction mixture. Put on appropriate personal protective equipment. Use only with adequate ventilation to ensure that the occupational exposure limit is not exceeded, use respirator when ventilation is inadequate. Avoid breathing aerosols, mists, and vapors. (See SECTION 8: EXPOSURE CONTROL/PERSONAL PROTECTION for details). Do not ingest. Eating, drinking, and smoking shall be prohibited in areas where this material is handled, stored, and processed. Workers shall wash hands and face before eating, drinking, and smoking. Persons with a history of skin sensitization problems, asthma, allergies, or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes, on skin, or clothing. Keep in the original container or an approved alternative made from a compatible material. Kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse containers.
STORAGE:	Keep container tightly closed and properly sealed when stored. When possible, store product indoors in a dry, well-ventilated area. Store in original container protected from direct sunlight, away from incompatible materials, and away from food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers and use appropriate containment to avoid environmental contamination.
SECTION 8: EXPOSURE CON	NTROLS/PERSONAL PROTECTION
EXPOSURE LIMITS:	As of the latest revision of this document, no known exposure limits exist for this product. The absence of current exposure data does not relieve an employer, user, or other to determine the specific hazards and appropriate exposure protection measures in the application and use of this product. Personal, workplace, atmospheric, and/or biological monitoring may be required to determine the effectiveness of engineering, administrative, and/or other best practice control measures. These monitoring results determine the need for and type of respiratory protective equipment, if any. Refer to the appropriate local, state, and federal regulations and statutes for the most current information and for guidance in the determination of hazardous conditions and the correlating personal protective equipment.
ENGINEERING CONTROLS:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation, and other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
HYGIENE MEASURES:	Wash hands, forearms, and face thoroughly with plenty of soap and water after handling chemical products, before eating, smoking, and using the restroom and at the end of the working period. Appropriate engineering, administrative, and other best practice decontamination control measures must be used to isolate contaminates on clothing and to prevent unintended migration of contaminants. Handle clothing and other potentially contaminated material appropriately and in compliance with local, state, and federal regulations in the process of removing, washing/cleaning, and reuse of these potentially contaminated materials. Ensure compliant use and location of eyewash station and safety showers.
PERSONAL PROTECTIVE EQUIPME	ENT (PPE):
EYE PROTECTION:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield.
SKIN PROTECTION:	Personal protective equipment for the body should be selected based on the task being performed, the risks involved, and should be approved by an industrial hygiene specialist before handling this product.
HANDS PROTECTION:	Chemical resistant gloves complying with applicable health and safety standards shall be worn when handling this product. Protective gloves are those made from butyl rubber, nitrile rubber, or polyvinyl alcohol. Appropriate hazard assessments in conjunction with an evaluation of the protection factors of chemical resistant gloves shall be performed to ensure the protective properties remain intact. It is noted that the time to breakdown of protection factors for different glove manufacturers varies. In the case of mixtures, the protection factors of chemical resistant gloves may be impacted and deteriorate at unpredictable rates without understanding the impact of the substance and the specific protection factors of the chemical resistant gloves.
RESPIRATORY PROTECTION:	Ensure adequate ventilation. If the respirator is the sole means of protection, use a full-face supplied respirator. Use respirators and components tested and approved under appropriate government standards such as OSHA 29CFR 1910.134, NIOSH (US), or CEN (EU).
ENVIRONMENTAL EXPOSURE CONTROLS:	Dispose of raw and spent materials and wastes in compliance with all local, state, and federal regulations to prevent potential environmental contamination. Industrial air monitoring may be required to determine any potential environmental hazards to the atmosphere. This monitoring may result in the use of engineering and administrative controls such as filtering and scrubbing systems to mitigate or eliminate potential contaminants.

SECTION 9: PHYSICAL & C	HEMICAL PROPERTIE	S		
PHYSICAL STATE:	Liquid	FLASH POINT:		Not available
COLOR:	Yellow	AUTO-IGNITIO	N TEMPERATURE:	Not available
ODOR:	Amine odor	DECOMPOSIT	ION TEMPERATURE:	Not available
ODOR THRESHOLD:	Not available	EXPLOSIVE LI	MITS:	Not explosive
pH:	Not applicable	FLAMMABILIT	Y:	Not available
WATER SOLUBILITY:	Not available	BOILING POIN	T:	Not available
PARTITION COEFFICIENT:	Not available	BOILING RANG	GE:	Not available
SPECIFIC GRAVITY:	1.035±0.015 g/cc @ 77°F (25°C	MELTING/FREI	EZING POINT:	Not available
VISCOSITY:	3,000±500 mPa.S @ 77°F (25°	°C) VAPOR PRESS	SURE:	Not available
EVAPORATION RATE:	Not available	VAPOR DENSI	TY:	Not available
VOC:	0 g/L	RELATIVE DEN	ISITY:	8.65±0.15 lbs/gal
SECTION 10: STABILITY & I	REACTIVITY			
STABILITY:	Stable under normal condition	ns.		
INCOMPATIBILITY:	Strong reaction with oxidizing	g agents.		
HAZARDOUS REACTION:	No specific data available.			
HAZARDOUS POLYMERIZATION:	Hazardous polymerization wil	Hazardous polymerization will not occur under normal conditions of storage and use.		
CONDITIONS TO AVOID:	No specific data available.	No specific data available.		
SECTION 11: TOXICOLOGY	INFORMATION			
ACUTE HEALTH EFFECTS:				
EYE CONTACT:	Contact with eyes may cause	e irritation.		
SKIN CONTACT:	Mild skin irritation.			
INHALATION:	May cause nose, throat, and lung irritation. Inhalation of vapors and/or aerosols in high concentration may cause irritation of respiratory system.			
	1			
INGESTION:	No data available.			
INGESTION: ACUTE TOXICITY:	No data available.			
	No data available. CAS NUMBER	LD ₅₀ Oral (mg/kg)	LD ₅₀ Dermal (mg/kg)	LC ₅₀ Inhalation (mg/L/4hrs)
ACUTE TOXICITY:		LD ₅₀ Oral (mg/kg) >5,000 (rat)	LD ₅₀ Dermal (mg/kg) >2,000 (rabbit)	LC ₅₀ Inhalation (mg/L/4hrs) >80 (rat)
ACUTE TOXICITY: COMPONENT NAME	CAS NUMBER		 	
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine	CAS NUMBER *Proprietary	>5,000 (rat)	>2,000 (rabbit)	>80 (rat)
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy)	*Proprietary	>5,000 (rat) Not available	>2,000 (rabbit) Not available	>80 (rat) Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane	*Proprietary	>5,000 (rat) Not available 8,030 (rat) exposure to low concentr	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged 6	>5,000 (rat) Not available 8,030 (rat) exposure to low concentr	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged easthma, and adverse respirat	>5,000 (rat) Not available 8,030 (rat) exposure to low concentr	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS: TARGET ORGANS:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged easthma, and adverse respirat No data available.	>5,000 (rat) Not available 8,030 (rat) exposure to low concentrory effects (such as coug	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS: TARGET ORGANS: CARCINOGENICITY:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged easthma, and adverse respirat No data available. No data available.	>5,000 (rat) Not available 8,030 (rat) exposure to low concentrory effects (such as coug	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS: TARGET ORGANS: CARCINOGENICITY: MUTAGENICITY:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged easthma, and adverse respirate No data available. No data available on the process.	>5,000 (rat) Not available 8,030 (rat) exposure to low concentrory effects (such as coug	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS: TARGET ORGANS: CARCINOGENICITY: MUTAGENICITY: TERATOGENICITY:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged easthma, and adverse respirat No data available. No data available on the prolonged easthma.	>5,000 (rat) Not available 8,030 (rat) exposure to low concentrory effects (such as cought of the	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS: TARGET ORGANS: CARCINOGENICITY: MUTAGENICITY: TERATOGENICITY: FERTILITY EFFECTS:	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged asthma, and adverse respirat No data available. No data available on the pr No data is available on the pr No data is available on the pr	>5,000 (rat) Not available 8,030 (rat) exposure to low concentrory effects (such as cought of the concentrory effects) roduct itself. roduct itself. roduct itself.	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available
ACUTE TOXICITY: COMPONENT NAME Oligomeric diamine Fatty acid ester 3-(2,3-Epoxypropoxy) propyltrimethoxysilane POTENTIAL CHRONIC EFFECTS: CHRONIC EFFECTS: TARGET ORGANS: CARCINOGENICITY: MUTAGENICITY: TERATOGENICITY: FERTILITY EFFECTS: DEVELOPMENTAL EFFECTS: MEDICAL CONDITIONS AGGRAVATED BY	*Proprietary *Proprietary 2530-83-8 Repeated and/or prolonged easthma, and adverse respirat No data available. No data available on the pr No data is available on the pr	>5,000 (rat) Not available 8,030 (rat) exposure to low concentrory effects (such as cought of the concentrory effects) roduct itself. roduct itself. roduct itself.	>2,000 (rabbit) Not available 4,248 (rat) ations of vapors and/or aeros	>80 (rat) Not available Not available

SECTION 13: DISPOSAL CONSIDERATION WASTE DISPOSAL: By-product wastes or process waste generation should be eliminated and/or minimized when possible. Do not dispose of any contaminants into sanitary sewer systems, storm drains, Publicly Owned Treatment Works (POTW), or any other municipal waste water treatment facility without written approval and agreements for processing wastes with such enterprises. Dispose of raw or unused materials, wastes, and/or by-products in accordance with all applicable local, state, and federal laws. Employ the expertise and knowledge of qualified personnel or contractors in disposal of any and all variants of this product. Ensure material containers are cleaned to the applicable standards before recycling, disposing, or reusing containers. Take special precautions to avoid any cross contamination and potential unknown effects from mixing with other substances. Refer to SECTION 8: EXPOSURE CONTROL/ PERSONAL PROTECTION of this document for personal protection requirements. Disposal to the environment or in violation of environmental protection laws and statutes must be **SECTION 14: TRANSPORT INFORMATION** PROPER SHIPPING NAME DOT: Not regulated. TDG: Not regulated. IMDG: Not regulated. IATA: Not regulated. This product could potentially contaminate aquatic and terrestrial environments if not handled in accordance with all precautions, regulations, and laws. Users, transporters, and all other applicable entities must review, follow, and apply any and all necessary precautions and procedures to eliminate and/or minimize potential hazards or risks to aquatic or terrestrial environments. **SECTION 15: REGULATORY INFORMATION** U.S. Federal Regulations TSCA 8b Inventory: All components are listed on the TSCA inventory or are exempt. TSCA 5a (2): No components listed. TSCA 5e: No components listed. TSCA 12b: No components listed. Clean Air Act Section 112(b) No components listed. Hazardous Air Pollutants (HAPs): Clean Air Act - Ozone Depleting This product does not contain nor is it manufactured with ozone depleting substances. Substances (ODS): SARA 313 Form R - Reporting No components listed. Requirements: SARA 311/312 hazard identification: Immediate (acute) health hazard. Delayed (chronic) health hazard. **CERCLA Hazardous substances:** No components listed. STATE REGULATIONS: PENNSYLVANIA/NEW JERSEY/ No components listed. MASSACHUSETTS - RTK: California Prop 65: This product contains no listed substances known to the State of California to cause cancer, birth defects, or other reproductive harm, at levels which would require a warning under the statute. **CANADA** WHMIS (Canada): Not available. **CEPA DSL:** All components are listed or exempted. This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all

the information required by the Controlled Products Regulations.

INTERNATIONAL LISTS:

Australia inventory (AICS):	Included on Inventory.
China inventory (IECSC):	Included on Inventory.
Japan inventory:	Included on Inventory.
Korea inventory:	Included on Inventory.
New Zealand inventory of Chemicals (NZIoC):	Not available.
Phillipines inventory (PICCS):	Included on Inventory.

SECTION 16: OTHER INFORMATION

NFPA & HMIS	
4	Extreme
3	Serious
2	Moderate
1	Slight
0	No Hazard



National Fire Protection Association (NFPA)





Hazardous Material Information System (HMIS)

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
SPECIAL INFORMATION	

Note: The customer is responsible for determining the PPE code for this material. At the time of publishing, the NFPA/HMIS and the New GHS scale had opposite scales of severity. Check the most recent publications for current information.

ons scale had opposite scales of	severity. Check the most recent publications for current information.
Date of Issue:	2/12/2018
Date of previous issue:	8/3/2017
For Your Protection:	The information and recommendations in this publication is to the best of our knowledge, reliable. The toxicity and risk characteristics of products made by SPI will necessarily differ from the toxicity and risk characteristics that occur when such products are used with other materials during a manufacturing process. The resulting risk characteristics should be determined and made known to ultimate end-users and processors. The user is responsible to comply with all applicable federal, provincial or municipal laws and regulations. SPI MAKES NO WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
Preparation Information:	This SDS supersedes ALL previous SDS versions.