

SECTION 1: IDENTIFICATION

PRODUCT NAME



ENVELO-SEAL[™] 0.5 OC CL1 "B" Component Synergy Series

CAS NUMBER Not available PRODUCT USE Polvurea Foam Specialty Products, Inc. (SPI) MANUFACTURER ADDRESS 2410 104th Street Ct S Suite D, Lakewood, WA 98499 253-588-7101 PHONE (800) 627-0773 FAX 253-588-7196 EMERGENCY CONTACT FOR SPILLS, LEAKS, FIRE, OR EXPOSURE CALL CHEMTREC TOLL FREE 800-424-9300 INTERNATIONAL +1-703-527-3887 913-321-1490 FAX **SECTION 2: HAZARDS IDENTIFICATION GHS LABEL ELEMENTS** GHS PICTOGRAM DANGER **GHS CLASSIFICATION** CATEGORY HAZARD STATEMENTS Skin corrosion/irritation Category 2 H315 Causes skin irritation. Serious eye damage/eye irritation Category 1 H318 Causes serious eye damage. Category 2 H401 Toxic to aquatic life. Acute hazard aquatic environment Long-term hazard aquatic environment Category 3 H412 Harmful to aquatic life with long lasting effects. PRECAUTIONARY STATEMENTS PREVENTION P264 Wash hands thoroughly after handling. P273 Avoid release to the environment. P280 Wear protective gloves/protective clothing/eye protection/face protection. RESPONSE P302+P352 IF ON SKIN: Cash with plenty of soap and water. P310 Immediately call a POISON CENTER or doctor/physician. P362 Take off contaminated clothing and wash before reuse. P332+P313 IF SKIN irritation occurs: Get medical advice/attention. P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P321 Specific treatment (see section 4 on this SDS). DISPOSAL P501 Dispose of contents/container in accordance with applicable regional, national and local laws and regulations.

READ THE ENTIRE SDS FOR MORE THOROUGH EVALUATION OF THE HAZARDS





uality Control Consultants

SECTION 3: COMPOSITION/INFO	ORMATION ON INGREDIENTS		
CHEMICAL NAME		CAS NUMBER	% WEIGHT
*Proprietary		Not available	13-35
*Proprietary		Not available	13-35
Alcohol ethoxylated		68439-46-3	10-15
*Proprietary		Not available	3-7
2-[(2-[2-(dimethylamino)ethoxy]ethyl)methylar		83016-70-0	1-3
*The specific chemical identity and exact per SECTION 4: FIRST AID MEASURE	centage (concentration) is withheld as a trade secret per appli-	cable regulations and st	atutes.
EYE:	Immediately flush eyes with plenty of water for at least 15 minu present and easy to do. Continue rinsing. Get medical attentio	n immediately.	
SKIN:	Wash with plenty of soap and water. If skin irritation occurs: Ge contaminated clothing and wash before reuse.	et medical advice/attentic	n. Take off
INHALATION:	Move to fresh air. Call a physician if symptoms develop or pers	sist	
INGESTION:	Rinse mouth. Get medical attention if symptoms occur. Do not poison control center.	induce vomiting without	advice from
NOTES TO PHYSICIAN:	Symptomatic and supportive therapy as needed. Following se monitored for 48 hours.	evere exposure, medical	ollow-up should be
SECTION 5: FIRE FIGHTING MEAS	SURES		
FLASH POINT:	Closed cup: >230°F (>110° C).		
HAZARDS WHEN ON FIRE OR NEAR FLAME:	If in a fire or heated, a pressure increase will occur and the cor	tainer may rupture.	
SUITABLE EXTINGUISHING MEDIA:	Dry chemical foam, carbon dioxide, foam, or water fog to extinguish.		
UNSUITABLE EXTINGUISHING MEDIA:	None known.		
SPECIAL EXPOSURE HAZARDS:	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.		
SPECIAL PROTECTIVE EQUIPMENT FOR FIRE FIGHTERS:	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode. PVC boots, gloves, safety helmet and protective clothing should be worn.		
HAZARDOUS DECOMPOSITION:	Combustion of product will lead to oxides of nitrogen, carbon dioxide, and carbon monoxide being produced.		
SECTION 6: ACCIDENTAL RELEAS	SE MEASURES		
ACCIDENTAL RELEASE MEASURES:	For major spills call CHEMTREC : Toll free 1-800-424-9300 for 1-703-527-3887 .	international call	
PERSONAL PRECAUTIONS:	Wear appropriate personal protective equipment recommended in SECTION 8: EXPOSURE CONTRO PERSONAL PROTECTION of this SDS. Immediately contact emergency personnel. Evacuate the area Keep upwind avoiding inhalation of vapors. Clean-up should only be performed by trained personnel People dealing with major spillages should wear full protective clothing including respiratory protection		cuate the area. led personnel.
ENVIRONMENTAL PRECAUTIONS:	This material may contaminate the environment without proper control and response to spills. Ensure spilled material does not come in contact with soil, waterway, drains, sewers, or other runoff that would further disperse the material. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil, or air). Sources of ignition should be kept clear.		
METHODS FOR CONTAINMENT:	Use diking or capping to control migration. Contain and absorb large spillages with a non-flammable absorbent carrier (such as vermiculite, earth, or sand). DO NOT USE combustible materials such as sawd Shovel into open-top drums or plastic bags for further decontamination, if necessary. Remove and proper dispose of residues. Dispose of via a licensed waste disposal contractor (See SECTION 13: DISPOSAL CONSIDERATIONS) Notify applicable government authorities if release is reportable.		
METHODS FOR CLEANING UP:	Only proceed with clean up by taking the appropriate personal protection measures required and ensure surrounding area does not contain further hazards that could worsen the spill, cause migration, or cause further harm (i.e. eliminate any ignition sources). Move any non-contaminated, non-leaking containers from the spill zone if it can be done safely. Dike, dam, or further restrict and stop active leaks without posing further damage or harm to individuals, the environment, and/or structures. Contain and collect spillage. S SECTION 13: DISPOSAL CONSIDERATIONS for disposal information and SECTION 8: EXPOSURE CONTRO PERSONAL PROTECTION for recommended Personal Protective Equipment (PPE). Obey all local, state, ar federal regulations during clean up.		

SECTION 7: HANDLING & STOP	RAGE
GENERAL:	Ideal storage temperature is 50°F-80°F (10°C-27°C). Handling and storage shall be in accordance with local, state/provincial, or federal regulations.
HANDLING:	Before opening this package, read and follow warning labels on all components. Avoid contact with the product or reaction mixture. Put on appropriate personal protective equipment. Use only with adequate ventilation to ensure that the occupational exposure limit is not exceeded, use respirator when ventilation is inadequate. Avoid breathing aerosols, mists, and vapors. (See SECTION 8: EXPOSURE CONTROL/ PERSONAL PROTECTION for details). Do not ingest. Eating, drinking, and smoking shall be prohibited in areas where this material is handled, stored, and processed. Workers shall wash hands and face before eating, drinking, and smoking. Persons with a history of skin sensitization problems, asthma, allergies, or chronic or recurrent respiratory disease should not be employed in any process in which this product is used. Do not get in eyes, on skin, or clothing. Keep in the original container or an approved alternative made from a compatible material. Kept tightly closed when not in use. Empty containers retain product residue and can be hazardous. Do not reuse containers.
STORAGE:	Keep container tightly closed and properly sealed when stored. When possible, store product indoors in a dry, well-ventilated area. Store in original container protected from direct sunlight, away from incompatible materials, and away from food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers and use appropriate containment to avoid environmental contamination. This product is hygroscopic. Containers should be tightly sealed to prevent moisture contamination. Do not expose to high temperatures for any length of time.
SECTION 8: EXPOSURE CONT	ROLS/PERSONAL PROTECTION
EXPOSURE LIMITS:	As of the latest revision of this document, no known exposure limits exist for this product. The absence of current exposure data does not relieve an employer, user, or other to determine the specific hazards and appropriate exposure protection measures in the application and use of this product. Personal, workplace, atmospheric, and/or biological monitoring may be required to determine the effectiveness of engineering, administrative, and/or other best practice control measures. These monitoring results determine the need for and type of respiratory protective equipment, if any. Refer to the appropriate local, state, and federal regulations and statutes for the most current information and for guidance in the determination of hazardous conditions and the correlating personal protective equipment.
ENGINEERING CONTROLS:	Use only with adequate ventilation. If user operations generate dust, fumes, gas, vapor, or mist, use process enclosures, local exhaust ventilation, and other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.
HYGIENE MEASURES:	Wash hands, forearms, and face thoroughly with plenty of soap and water after handling chemical products, before eating, smoking, and using the restroom and at the end of the working period. Appropriate engineering, administrative, and other best practice decontamination control measures must be used to isolate contaminates on clothing and to prevent unintended migration of contaminants. Handle clothing and other potentially contaminated material appropriately and in compliance with local, state, and federal regulations in the process of removing, washing/cleaning, and reuse of these potentially contaminated materials. Ensure compliant use and location of eyewash station and safety showers.
PERSONAL PROTECTIVE EQUIPMENT	(PPE):
EYE PROTECTION:	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: chemical splash goggles and/or face shield.
SKIN PROTECTION:	Personal protective equipment for the body should be selected based on the task being performed, the risks involved, and should be approved by an industrial hygiene specialist before handling this product.
HANDS PROTECTION:	Chemical resistant gloves complying with applicable health and safety standards shall be worn when handling this product. Protective gloves are those made from butyl rubber, nitrile rubber, or polyvinyl alcohol. Appropriate hazard assessments in conjunction with an evaluation of the protection factors of chemical resistant gloves shall be performed to ensure the protective properties remain intact. It is noted that the time to breakdown of protection factors for different gloves may be impacted and deteriorate at unpredictable rates without understanding the impact of the substance and the specific protection factors of the chemical resistant gloves.
RESPIRATORY PROTECTION:	Ensure adequate ventilation. If the respirator is the sole means of protection, use a full-face supplied respirator. Use respirators and components tested and approved under appropriate government standards such as OSHA 29CFR 1910.134, NIOSH (US), or CEN (EU).
ENVIRONMENTAL EXPOSURE CONTROLS:	Dispose of raw and spent materials and wastes in compliance with all local, state, and federal regulations to prevent potential environmental contamination. Industrial air monitoring may be required to determine any potential environmental hazards to the atmosphere. This monitoring may result in the use of engineering and administrative controls such as filtering and scrubbing systems to mitigate or eliminate potential contaminants.

SECTION 9: PHYSICAL & C		IES				
PHYSICAL STATE:	Liquid	FLASH POINT:		>230°F (>110° C)		
COLOR:	Light Yellow/Clear	AUTO-IGNITIOI	N TEMPERATURE:	Not available		
ODOR:	Not available	DECOMPOSITI	ON TEMPERATURE:	Not available		
ODOR THRESHOLD:	Not available	EXPLOSIVE LIN	NITS:	Not explosive		
pH:	Not applicable	FLAMMABILITY	<i>(</i> :	Not available		
WATER SOLUBILITY:	Not available	BOILING POIN	Г:	Not available		
PARTITION COEFFICIENT:	Not available	BOILING RANG	iE:	Not available		
SPECIFIC GRAVITY:	1.086±0.005 g/cc @ 77°F (2	5°C) MELTING/FREE	ZING POINT:	Not available		
/ISCOSITY:	175±50 mPa.s @ 77°F (25°C		URE:	Not available		
EVAPORATION RATE:	Not available	VAPOR DENSIT	Γ Υ :	Not available		
VOC:	0 g/L	RELATIVE DEN	SITY:	9.06±0.05 lbs/gal		
SECTION 10: STABILITY &	REACTIVITY					
STABILITY:	The product is stable unde	r normal conditions.				
NCOMPATIBILITY:	This product may react with	h strong oxidizing agents.				
HAZARDOUS REACTION:	Not Available.					
HAZARDOUS POLYMERIZATION:	Hazardous polymerization	should not occur under norn	nal conditions of storage an	d use.		
CONDITIONS TO AVOID:	Not Available.					
SECTION 11: TOXICOLOGY	INFORMATION					
ACUTE HEALTH EFFECTS:						
EYE CONTACT:	Not available.					
SKIN CONTACT:	Not available.					
NHALATION:	Not available.					
NGESTION:	Not available.					
ACUTE TOXICITY:	1					
COMPONENT NAME	CAS NUMBER	LD ₅₀ Oral (mg/kg)	LD ₅₀ Dermal (mg/kg)	LC ₅₀ Inhalation (mg/L/4hrs)		
Alcohol ethoxylated	68439-46-3	>2,000 (rat)	>2,000 (rabbit)	Not available		
2-[(2-[2-(dimethylamino)ethoxy]ethyl)						
nethylamino]ethanol	83016-70-0	1,364 (rat)	5,700 (rabbit)	Not available		
POTENTIAL CHRONIC EFFECTS:						
CHRONIC EFFECTS:	No known significant effec	No known significant effects or critical hazards.				
TARGET ORGANS:	No known significant effects or critical hazards.					
CARCINOGENICITY:		As of this publication, this material is not listed on the National Toxic Program (NTP) Report of Carcinogens. Please refer to the most recent information with NTP.				
MUTAGENICITY:	No known significant effec	ts or critical hazards.				
ERATOGENICITY:	No known significant effec	No known significant effects or critical hazards.				
ERTILITY EFFECTS:	No known significant effects or critical hazards.					
DEVELOPMENTAL EFFECTS:	No known significant effects or critical hazards.					
MEDICAL CONDITIONS AGGRAVATED BY OVER-EXPOSURE:	No known significant effects or critical hazards.					
SECTION 12: ECOLOGICAL	. INFORMATION					


SECTION 13: DISPOSAL CON	SIDERATION					
WASTE DISPOSAL:	By-product wastes or process waste generation should be eliminated and/or minimized when possible. Do not dispose of any contaminants into sanitary sewer systems, storm drains, Publicly Owned Treatment Works (POTW), or any other municipal waste water treatment facility without written approval and agreements for processing wastes with such enterprises. Dispose of raw or unused materials, wastes, and/or by-products in accordance with all applicable local, state, and federal laws. Employ the expertise and knowledge of qualified personnel or contractors in disposal of any and all variants of this product. Ensure material containers are cleaned to the applicable standards before recycling, disposing, or reusing containers. Take special precautior to avoid any cross contamination and potential unknown effects from mixing with other substances. Refer to SECTION 8: EXPOSURE CONTROL/ PERSONAL PROTECTION of this document for personal protection requirements. Disposal to the environment or in violation of environmental protection laws and statutes must b prevented.					
SECTION 14: TRANSPORT INI	ORMATION					
PROPER SHIPPING NAME						
DOT:	Not regulated.					
TDG:	Not regulated.					
IMDG:	Not regulated.					
ΙΑΤΑ:	Not regulated.					
This product could potentially conta lations, and laws. Users, transporter and procedures to eliminate and/or	s, and all other applie	cable entities	must review	, follow, and apply	/ any and all neces	precautions, reg ssary precautior
SECTION 15: REGULATORY I	NFORMATION					
U.S. Federal Regulations						
TSCA 8b Inventory:	All components are li	isted on the TSC	CA inventory	or are exempt.		
TSCA 5a (2):	No components listed.					
TSCA 5e:	No components listed.					
TSCA 12b:	No components listed.					
Clean Air Act Section 112(b) Hazardous Air Pollutants (HAPs):	No components listed.					
Clean Air Act - Ozone Depleting Substances (ODS):	This product does no	ot contain nor is	it manufactur	ed with ozone deple	eting substances.	
SARA 313 Form R - Reporting	COMPONENT		CAS NUMBER		CONCENTRATION	
Requirements:	Toluene		108-88-3		0.015%	
	1,4-dioxane		9016-87-9		Not available	
	Ethylene oxide		75-21-8		0.00015%	
SARA 311/312 hazard identification:	Immediate (acute) he	 alth hazard.				
CERCLA Hazardous substances:						
Component	Concentration	Section 302 (TPQ)	Section 313	Section 304 CERCLA RQ	CERCLA reportable quantity	Product reportable quantity
Toluene	0.015%	Not listed	Listed	Listed	1,000 lbs	66,667 lbs
Ethylene oxide	0.00015%	Listed	Listed	Listed	10	66,667 lbs
STATE REGULATIONS:	1			<u> </u>		
PENNSYLVANIA/NEW JERSEY/ MASSACHUSETTS - RTK:	Not available.					
California Prop 65:	This product may contain trace amounts of a substance known to the State of California to cause cance birth defects, or other reproductive harm, at levels which would require a warning under the statute.					
CANADA						
WHMIS (Canada):	WHMIS Class D-1B: Material causing immediate and serious toxic effects (toxic). WHMIS Class D-2B: Material causing other toxic effects (toxic).					

CEPA DSL:	All components are listed or exempted.	
This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations and the SDS contains all the information required by the Controlled Products Regulations.		
INTERNATIONAL LISTS:		
Australia inventory (AICS):	Not available.	
China inventory (IECSC):	Not available.	
Japan inventory:	Not available.	
Korea inventory:	Not available.	
New Zealand inventory of Chemicals (NZIoC):	Not available.	
Phillipines inventory (PICCS):	Not available.	

SECTION 16: OTHER INFORMATION

NF		
4	Extreme	
3	Serious	
2	Moderate	
1	Slight	
0	No Hazard	
2 1 0	Slight	

National Fire Protection Association (NFPA)



Hazardous Material Information System (HMIS)

HEALTH	1
FLAMMABILITY	1
REACTIVITY	0
SPECIAL	
INFORMATION	

Note: The customer is responsible for determining the PPE code for this material. At the time of publishing, the NFPA/HMIS and the New GHS scale had opposite scales of severity. Check the most recent publications for current information.

Date of Issue:	2/12/2018
Date of previous issue:	4/11/2016
For Your Protection:	The information and recommendations in this publication is to the best of our knowledge, reliable. The toxicity and risk characteristics of products made by SPI will necessarily differ from the toxicity and risk characteristics that occur when such products are used with other materials during a manufacturing process. The resulting risk characteristics should be determined and made known to ultimate end-users and processors. The user is responsible to comply with all applicable federal, provincial or municipal laws and regulations. SPI MAKES NO WARRANTIES OF ANY KIND, EXPRESSED OR IMPLIED, INCLUDING THOSE OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE.
Preparation Information:	This SDS supersedes ALL previous SDS versions.